



3 1176 00147 8172

# NASA Technical Memorandum 80204

NASA-TM-80204 19800010747

## MILITARY AIRCRAFT AND MISSILE TECHNOLOGY AT THE LANGLEY RESEARCH CENTER--A SELECTED BIBLIOGRAPHY

DAL V. MADDALON

JANUARY 1980

FOR REFERENCE

NOT TO BE TAKEN FROM THE ROOM

LIBRARY COPY

FEB 20 1980

LANGLEY RESEARCH CENTER  
HAMPTON, VIRGINIA



National Aeronautics and  
Space Administration

Langley Research Center  
Hampton, Virginia 23665



## FOREWORD

This report was produced in support of the Langley Research Center's efforts in developing Advanced Military Aircraft and Missile Technology. It represents a compilation of reference material on Langley's efforts over the past twenty years. The technical material presented includes efforts made in aerodynamics, performance, stability, control, stall-spin, propulsion integration, flutter, materials, and structures.

Section A presents several representative reports on Langley's contributions to 56 specific military aircraft and missile programs between 1960 and 1979 (also see fig. 1).

Section B presents Langley's military related research reports produced between 1974 and 1978.

Section C presents the military publications contributed by the research personnel staffing Langley's Differential Maneuvering Simulator facility from its inception to the present.

N-80-19024 #

## Table of Contents

	Page
Section A - Representative Langley Research Center Contributions to Military Aircraft and Missile Technology (1960-1979)	4
Section B - Recent Langley Research Center Contributions to Military Aircraft and Missile Technology	18
Section C - Langley Research Center Differential Maneuvering Simulator Studies	39

F-105	S-3A	110A	GETOL
AIR CUSHION	F-14	T-38	VZ-2
XV-6A (KESTREL)	F-15	HAWK	C-5A
HARRIER	AX	138A	F-104
F-16	A-10A	KC-135	F-111
F-17	A-7	MOHAWK	DO-31
X-24B	B-1	REDHEAD ROADRUNNER	B-57
SWEPT-FORWARD WING	A-9A	SERGEANT	B-70
B-58	F-18	C-141A	TANDEM WING
AO-1	F-4	A5A	B-52
MISSILES GUIDED, AIR-TO-AIR	P-1127	A6	SPARROW III
COIN	X-15	ANTITANK MISSILE	XFV-12A
XC-142	FOKKER VTOL	A2F	RUNWAYS
DIFFERENTIAL MANEUVERING SIMULATOR	AP-100	A3J	LANDING GEAR

Figure 1.- Military aircraft and missile programs supported by the Langley Research Center (1960-1979).

## SECTION A

### REPRESENTATIVE LANGLEY RESEARCH CENTER CONTRIBUTIONS TO MILITARY AIRCRAFT TECHNOLOGY (1960-1979)

- F-105
1. Luoma, Arvo A.: Transonic Wind-Tunnel Investigation of the Static Longitudinal Stability and Performance Characteristics of a Supersonic Fighter-Bomber Airplane. NASA TM X-513, July 1961, pp 117.
  2. Luoma, Arvo A.: Transonic Wind-Tunnel Investigation of the Static Stability and Control Characteristics of a Supersonic Fighter-Bomber Airplane. NASA TM X-591, Dec. 1961, pp 9.
  3. Foster, Gerald V.; and Kyle, Robert G.: Aerodynamic Characteristics of a 1/22-Scale Model of a Fighter Airplane With an Extended Forebody and Other Modifications at Mach Number of 1.57 to 2.01. NASA TM X-833, July 1963, pp 82.
- Air Cushion
4. Thompson, William C.: Landing Performance of an Air-Cushion Landing System Installed on a 1/10-Scale Dynamic Model of the C-8 Buffalo Airplane. NASA TN D-7295, 1973.
  5. Captain, K. M.; Boghani, A. B., and Wormley, D. N.: Dynamic Heave-Pitch Analysis of Air Cushion Landing Systems. NASA CR-2539, 1975.
  6. Trafford, J. W. Leland; and Thompson, William C.: Landing-Impact of a 0.3-Scale Model Air Cushion Landing System for a Navy Fighter Airplane. NASA TN D-7875, 1975, pp 33.
  7. Boghani, A. B.; Captain, K. M.; and Worley, D. N.: Heave-Pitch-Roll Analysis and Testing of Air Cushion Landing Systems. NASA CR-2917, 1978, pp 198.
- XV-6A
8. Margason, Richard J.; Vogler, Raymond D.; and Winston, Matthew M.: Wind-Tunnel Investigation at Low Speeds of a Model of the Kestrel (SV-6A) Vectored-Thrust V/STOL Airplane. NASA TN D-6826, 1972.
  9. Morello, Samuel A; Person, Lee H., Jr.; and Shanks, Robert E.: A Flight Evaluation of a Vectored-Thrust-Jet V/STOL Airplane During Simulated Instrument Approaches Using the Kestrel (SV-6A) Airplane. NASA TN D-6791, 1972.
  10. Suit, William T.; and Williams, James L.: Lateral Static and Dynamic Aerodynamic Parameters of the Kestrel Aircraft (SV-6A) Extracted from Flight Data. NASA TN D-7455, 1974.

11. Culpepper, R. G.; Paterson, W. D.; Vangunst, R. W.; and Person, L. H., Jr.: A Flight Investigation of the Effect of Increased Thrust Vectoring on the Performance of the Kestrel Aircraft. NASA TM X-72766, 1976, pp 1127.
- Harrier 12. Moore, F. L.; Roberts, D. A.; and Lina, L. H.: Simulation Study of the Effectiveness of Thrust Vectoring Using the Harrier Aircraft in Air Combat. NASA TM X-3118, 1974.
13. Culpepper, R. G.; Woodfield, A. A.; Person, L. H., Jr.; Hamilton, B. I. L.; and Silsby, N. S.: A Flight Investigation of the Effects of VIFF on the Maneuvering Performance and Handling Qualities of the Harrier Aircraft. NASA TM X-72765, 1976.
14. Culpepper, R. G.; Woodfield, A. A.; Person, L. H.; Hamilton, B. I. L.; and Silsby, N. S.: Effects of Thrust Vectoring in Forward Flight VIFF on Maneuvering Performance and Handling Qualities of a Prototype Harrier Aircraft. NASA TM X-3462, 1977.
- F-16 15. Scher, S. H.; and White, W. L.: Spin-Tunnel Investigation of a 1/25 Scale Model of the General Dynamics YF-16 Airplane. NASA TM SX-3400, 1975.
16. Newsom, W. A., Jr.; Anglin, E. L.; and Grafton, S. B.: Free-Flight Investigation of a 0.15-Scale Model of the YF-16 Airplane at High Angles of Attack. NASA TM SX-3279, 1975.
17. Foughner, J. T., Jr.; and Bensinger, C. T.: F-16 Flutter Model Studies With External Wing Stores. NASA TM-74078, 1977.
18. Dollyhigh, S. M.; Sangiorgio, G.; and Monta, W. J.: Effects of Stores on Longitudinal Aerodynamic Characteristics of a Fighter at Supersonic Speeds. NASA TP-1175, 1978.
- F-17 19. Grafton, S. B.; and Anglin, E. L.: Static and Dynamic Aerodynamics Characteristics of a 0.15-Scale Model of the YF-17 Airplane at Spin Angles of Attack. NASA TM SX-3217, 1975.
20. Scher, S. H.: Spin Tunnel Investigation of a 1/25-Scale Model of the Northrop YF-17 Airplane. NASA TM SX-3318, 1975.
21. Grafton, S. B.; Anglin, E. L.; and Newsom, W. A., Jr.: Free Flight Investigation of a 0.15-Scale Model of the YF-17 Airplane at High Angles of Attack. NASA TM SX-3283, 1975.

22. Nguyen, Luat, T.; Gilbert, William P.; and Van Gunst, Roger W.: Simulator Study of the Departure Resistance of a Lightweight Fighter Airplane With Twin Vertical Tails. NASA TM X-3510, 1977. (Confidential)
- X-24B 23. Harris, Charles D.; and Luoma, Arvo A.: Transonic Aerodynamic Characteristics of a Lifting Reentry Vehicle Having a Delta Planform and a Flat Bottom. NASA TM X-1087, 1965. (Confidential)
24. Silvers, J. Norman: Stability and Control Characteristics of a Flat-Bottom Lifting Reentry Configuration at Mach Numbers of 2.29 to 4.63. NASA TM X-1133, 1965. (Confidential)
25. Feryn, Maurice O.; and Kyle, Robert G.: Static Stability and Control Characteristics of a Lifting-Body Entry Vehicle at Mach Numbers from 2.30 to 4.63. NASA TM X-1138, 1965. (Confidential)
26. Shanks, Robert E.: Investigation of the Dynamic Stability of Two Towed Models of a Flat-Bottom Lifting Reentry Configuration. NASA TM X-1150, 1966. (Confidential)
27. Ferris, James C.: Static Stability and Control Characteristics and Control Surface Hinge-Moment Coefficients of a Lifting Body From Mach 0.40 to 1.20. NASA TM X-1714, 1968.
- Swept-Forward Wing 28. Huffman, Jarrett K.; and Fox, Charles H., Jr.: Subsonic Longitudinal and Lateral-Directional Static Aerodynamic Characteristics For a Close-Coupled Wing - Canard Model in Both Swept Back and Swept Forward Configurations. NASA TM-74092, 1978.
29. Huffman, J. K., and Fox, C. H., Jr.: Subsonic Longitudinal and Lateral-Directional Static Aerodynamic Characteristics for a Model With Swept Back and Swept Forward Wings. NASA TM-74093, 1978.
30. Boyden, R. P.: Subsonic Roll Damping of a Model With Swept-Back and Swept-Forward Wings. NASA TM-78677, 1978.
- B-58 31. Hinson, William F.: Investigation of a New Technique for Releasing an Externally Carried Fuel Tank at Subsonic and Supersonic Speeds, Using a 1/40-Scale Model of a Supersonic Bomber Airplane. NASA TM X-462, 1961.
32. Robinson, Ross B.; and Spearman, M. Leroy: Static Lateral and Directional Stability and Control Characteristics of a 1/40-Scale Model of a 60° Delta Wing Bomber Configuration at a Mach Number of 1.99. NASA TM X-537, 1961.



33. Landrum, Emma Jean: Static Lateral and Directional Stability and Control Characteristics of a 1/14-Scale Model of a 60° Delta Wing Bomber Configuration at a Mach Number of 1.61. NASA TM X-748, 1963.
34. Grantham, William D.; and Grafton, Sue B.: Effects of Aircraft Relative Density on Spin and Recovery Characteristics of Some Current Configurations. NASA TN D-2243, 1965.
- A0-1 35. Lee, Henry A.: Spin Investigation of a 1/20 -Scale Model of an Unswept-Wing, Twin-Engine, Observation Airplane. NASA TN D-1516, 1963.
- Guided  
Missiles  
Air-to-Air 36. Monta, W. J.: Supersonic Stability and Control Characteristics of a Blunt Nose Cruciform Missile Model Having Highly-Swept Delta Wings and In-Line Rectangular Control Fins. Interim Report, March 31, 1970.
37. Monta, W. J.: Supersonic Aerodynamic Characteristics of a Sparrow 3 Type Missile Model With Wing Controls and Comparison With Existing Tail Control Results. NASA TP-1078, 1977.
38. Hayes, C.: Aerodynamic Characteristics of 1/4-Scale Model of ALRAAM Missile Configuration at Supersonic Speeds. NASA TM-74075, 1977.
- Coin 39. Lee, H. A.: Spin-Tunnel Investigation of a 1/20-Scale Model of a Straight-Wing, Twin-Boom, Counter-Insurgency Airplane. NASA TM X-1602, 1969.
40. Lee, H. A.: Spin-Tunnel Investigation of a 1/20 Scale Model of a Modified Straight-Wing, Twin-Boom, Counter-Insurgency Airplane. NASA TM X-2053, 1970.
41. Gentry, G. L., Jr.; and Margason, R. J.: Aerodynamic Characteristics of Twin Propeller Deflected Slipstream STOL Airplane Model With Boundary Layer Control on Inverted V-Tail. NASA TN D-4856, 1968.
- XC-142 42. Goodson, K. W.: Aerodynamic Characteristics of Wind Tunnel Model Compared With Flight Test Craft for Four-Propeller Tilt-Wing V/STOL Aircraft XC-142. Presented at the Ames Research Center Conference on V/STOL and STOL Aircraft, 1966, pp 51-62.
43. Patton, J. M., Jr.: A Pilot's Opinion - VTOL Control Design Requirements for the Instrument Approach Task. Presented at the American Helicopter Society, Annual National Forum, May 17-19, 1972.
44. Williams, J. L.: Extraction of Longitudinal Aerodynamic Coefficients From Forward Flight Conditions of a Tilt-Wing V/STOL Airplane. NASA TN D-7114, 1972.

45. Chambers, Joseph R.; and Grafton, Sue B.: Static and Dynamic Longitudinal Stability Derivatives of a Powered 1/9-Scale Model of a Tilt-Wing V/STOL Transport. NASA TN D-3591, 1966.
- Differential 46. Nguyen, Luat T.; Ogburn, Marilyn E.; Pollock, Kenneth S.;  
Maneuvering Deal, Perry L.; and Brown, Phillip W.: Simulator Study of  
Simulator High-Angle-of-Attack Flight of the F-14 Airplane With  
Maneuver Slats. NASA TM-78799, 1978.
47. Grantham, William D.; Deal, Perry L.; and Libbey, Charles E.:  
Piloted Simulator Study of the Stability and Control  
Characteristics of the B-1 Airplane at High Angles of  
Attack. NASA TM SX-3381, 1976.
48. Gilbert, William P.; Nguyen, Luat T.; and Van Gunst, Roger W.:  
Simulator Study of Applications of Automatic Departure- and  
Spin-Prevention Concepts to a Variable-Sweep Fighter  
Airplane. NASA TM X-2928, 1973.
49. Pennington, Jack E.: Simulation of a Fixed-Wing Fighter Air-  
craft Having Leading-Edge Slats. NASA TM X-2768, 1973.
- 110A 50. Johnson, Joseph L., Jr.: Wind-Tunnel Investigation of Low-  
Subsonic Flight Characteristics of a Model of a Canard  
Airplane Designed for Supersonic Cruise Flight. NASA TM X-  
TM X 229, 1960.
51. Levey, G. M.; Tuovila, W. J.; and Rainey, A. G.: An Experi-  
mental Study of the Effect of Rearward Mounted Heavy  
Nacelles on the Flutter Characteristics of Low-Aspect-Ratio  
Wings at Transonic and Supersonic Speeds. NASA TM X-555,  
1961.
- T-38 52. Grantham, William D.: Analytical Investigation of the Spin  
and Recovery Characteristics of a Supersonic Trainer Air-  
plane a Having a 24° Swept Wing. NASA TM X-606, 1962.
- Hawk 53. Ashby, George C., Jr.; and Fitzgerald, Paul E., Jr.: Longitu-  
dinal Stability and Control Characteristics of Missile  
Configurations Having Several Highly Swept Cruciform Fins  
and a Number of Trailing Edge and Fin-Tip Controls at Mach  
Numbers From 2.21 to 6.01. NASA TM X-335, 1961.
54. Corlett, William A.: Aerodynamic Characteristics of a Modi-  
fied Missile Model With Trapezoidal Wings and Aft Tail  
Controls at Mach Numbers of 2.50 and 4.63. NASA TM X-1751,  
1969.
55. Fuller, Dennis E.: Aerodynamic Characteristics of a Cruciform  
Winged Missile With Trailing-Edge Controls at Mach Numbers  
From 1.60 to 4.63. NASA TM X-1743, 1969.

- 138A 56. Hunt, Gerald L.: Investigation of the Static Longitudinal Stability Characteristics of an Air-to-Surface Canard Missile Configuration in the Transonic Mach Number Range. NASA TM X-305, 1960.
- KC-135 57. Montoya, Lawrence C.; Jacobs, Peter F.; and Flechner, Stuart G.: Effect of Winglets on a First-Generation Jet Transport Wing. III - Pressure and Spanwise Load Distributions for a Semispan Model at Mach 0.30. NASA TN D-8478, 1977.
58. Jacobs, P. F.: Effect of Winglets on a First-Generation Jet Transport Wing. 5: Stability Characteristics of a Full-Span Wing With a Generalized Fuselage at High Subsonic Speeds. NASA TP-1163, 1978.
59. Montoya, L. C.; Flechner, S. G.; and Jacobs, P. F.: Effect of Winglets on a First-Generation Jet Transport Wing. 2: Pressure and Spanwise Load Distributions for a Semispan Model at High Subsonic Speeds --- in the Langley 8-Foot Transonic Tunnel. NASA TN D-8474, 1977.
60. Jacobs, P. F.; Flechner, S. G.; and Montoya, L. C.: Effect of Winglets on a First-Generation Jet Transport Wing. 1: Longitudinal Aerodynamic Characteristics of a Semispan Model at Subsonic Speeds -- in the Langley 8-Foot Transonic Tunnel. NASA TN D-8473, 1977.
- Mohawk 61. Dreher, Robert C.: Landing-Gear Loads Obtained During Simulated Landing Tests Over Various Obstacles. NASA TN D-2690, 1965.
- Redhead 62. Corlett, William A.: Aerodynamic Characteristics of a 0.187-Scale Model of a Target Missile at Mach 1.80 to 2.16. NASA TM X-1304, 1966.
- Sergeant 63. Capone, Francis, J.: Wind Tunnel Tests of Seven Static-Pressure Probes at Transonic Speeds. NASA TN D-947, 1961.
- C-141A 64. Ruhlin, Charles L.; Sandford, Maynard D.; and Yates, E. Carson, Jr.: Wind-Tunnel Flutter Studies of the Sweptback T-Tail of a Large Multijet Cargo Airplane at Mach Numbers to 0.90. NASA TN D-2179, 1964.
65. MacWilkinson, D. G.; Blackerby, W. T.; and Paterson, J. H.: Correlation of Full-Scale Drag Predictions With Flight Measurements on the C-141A Aircraft - Phase II, Wind Tunnel Test, Analysis, and Prediction Techniques. Vol. 2 - Wind Tunnel Test and Basic Data. NASA CR-2334, 1974.

66. Hall, Albert W.: Some Loading Conditions Imposed by Ground Turning Maneuvers With Three Jet Transport Airplanes. NASA TN D-7132, 1972.
67. MacWilkinson, D. G.; Blackerby, W. T.; and Paterson, J. H.: Correlation of Full-Scale Drag Predictions With Flight Measurements on the C-141A Aircraft - Phase II, Wind Tunnel Test, Analysis, and Prediction Techniques. NASA CR-2333, 1974.
- A5A 68. Lee, H. A.: Spin-Tunnel Investigation of a 1/30-Scale Model of the North American A5A Airplane. NASA TM SX-946, 1964.
- A-6 69. Dingeldein, R. C.; Connor, A. B.; and Hilton, D. A.: Noise Reduction Studies of Several Aircraft to Reduce Their Aural Detection Distances. NASA TM X-72644, 1975.
70. Hilton, D. A.; Connor, A. B.; and Hubbard, H. H.: A Noise Study of the A-6 Airplane and Techniques for Reducing Its Aural Detection Distance. NASA TM X-72643, 1975.
- Anti-Tank Missile 71. Vogler, R. D.: Wind-Tunnel Investigation at High Subsonic Speeds to Determine Stability and Control Characteristics of Antitank Missiles With Ram-Pressure Jet Controls on a Ring Tail. NASA TM X-192, 1960.
- A2F 72. Mercer, Charles E.; Salters, Leland B., Jr.; and Capone, Francis J.: Afterbody Temperatures, Pressures, and Aerodynamic Characteristics Resulting From Extension of Speed-Brake Configurations Into the Exhaust Jets of a Twin-Engine Attack-Type-Airplane Model. NASA TM X-517, 1961. (Confidential.)
73. Lee, Edwin E., Jr.; and Mercer, Charles E.: Jet Interference Effects on a Twin-Engine Attack-Type-Airplane Model With Large Speed-Brake, Thrust-Spoiler Surfaces. NASA TM X-454, 1961.
- A3J 74. Libbey, Charles E.; and Burk, Sanger M., Jr.: Large-Angle Motion Tests, Including Spins, of a Free-Flying Dynamically Scaled Radio-Controlled 1/9-Scale Model of an Attack Airplane. NASA TM X-551, 1961. Confidential.
75. Spencer, Bernard, Jr.: Stability and Control Characteristics at Low Subsonic Speeds of an Airplane Configuration Having Two Types of Variable-Sweep Wings. NASA TM X-303, 1960. Confidential.
76. Luoma, Arvo A.: Stability and Control Characteristics at Transonic Speeds of a Variable-Wing-Sweep Airplane Configuration With Wing Outboard Panels Swept  $113.24^{\circ}$  and  $75^{\circ}$ . NASA TM X-342, 1960. Confidential.

77. Foster, Gerald V.; and Morris, Odell A.: Stability and Control Characteristics at a Mach Number of 1.97 of an Airplane Configuration Having Two Types of Variable-Sweep Wings. NASA TM X-323, 1960. Confidential.
- S-3A 78. Lee, Henry A.; and White, William L.: Spin-Tunnel Investigation of 1/32-Scale Model of the Lockheed S-3A Airplane. NASA TM SX-3057, 1974.
- F-14 79. Grafton, Sue B.; and Anglin, Ernie L.: Dynamic Stability Derivatives at Angles of Attack From  $-5^{\circ}$  to  $90^{\circ}$  for a Variable-Sweep Fighter Configuration With Twin Vertical Tails. NASA TN D-6909, 1972.
80. Alford, William J., Jr.; and Henderson, William P., (Prepared by the Staff of the NASA Special Study Group): NASA Assessment of United States Navy F-14 Airplane Designs. NASA LWP 794, 1969. Proprietary to Grumman/Pratt & Whitney/General Electric. Confidential.
81. Gilbert, William P.; Nguyen, Luat T.; and Van Gunst, Roger W.: Simulator Study of Applications of Automatic Departure- and Spin-Prevention Concepts to a Variable-Sweep Fighter Airplane. NASA TM X 2928, 1973.
82. Mercer, Charles E.; and Reubush, David E.: Sting and Jet Interference Effects on Longitudinal Aerodynamic Characteristics a Twin-Jet, Variable-Wing-Sweep Fighter Model at Mach Numbers to 2.2. NASA TM X-2825, 1973. Confidential.
83. Putnam, Lawrence E.: Effect of Nozzle Interfairings on Aerodynamic Characteristics of a Twin-Engine Variable-Sweep-Wing Fighter Airplane at Mach 0.60 to 2.01. NASA TM X-2769, 1973.
- F-15 84. Gilbert, William P.: Free-Flight Investigation of Lateral-Directional Characteristics of a 0.10-Scale Model of the F-15 Airplane at High Angles of Attack. NASA TM SX-2807, 1973. Confidential.
85. Staff, Large Supersonic Tunnels Branch, Full-Scale Research Division: Aerodynamic Characteristics at Mach Numbers From 1.60 to 2.86 of a 0.047-Scale Model of the McDonnell Douglas F-15A Airplane (199-1b). NASA LWP-774, 1969. Confidential.
86. Maiden, Donald L.; and Berrier, Bobby L.: Effects of Afterbody Closure and Sting Interference on the Longitudinal Aerodynamic Characteristics of a Fixed-Wing, Twin-Jet Fighter Airplane Model. NASA TM X-2415, 1971. Confidential.

87. Maiden, Donald L.: Effect of Inlet Cowl External Profile and External Stores on the Drag of a Fighter Airplane Model With Two-Dimensional Ramp Inlets. NASA TM X-2682, 1975. Confidential.
88. Ray, Edward J.; and Fox, Charles H., Jr.: Subsonic Drag Analysis of a Twin-Engine, Fixed-Wing Fighter Configuration. NASA TM X-2801, 1973. Confidential.
- AX 89. Langley, Ames, Lewis, and Flight Research Center Support of DOD VFAX/FX Projects: A Progress Report. NASA SP-178, 1968.
90. McKinney, Linwood W.; and Fox, Charles H., Jr.: Wind-Tunnel Investigation of a Single-Engine Pusher-Type Subsonic Attack Airplane Model Having an Unswept Wing of Aspect Ratio 6.0. NASA TM X-1644, 1968. Confidential.
91. Henderson, William P.; and Fox, Charles H., Jr.: Subsonic Wind-Tunnel Investigation of an Unpowered Twin-Turboprop Airplane Model With a Wing Aspect Ratio of 6.0. NASA TM X-1643, 1968. Confidential.
- A-10A 92. Lockwood, Vernard E.; and Matarazzo, Aniello: Subsonic Wind-Tunnel Investigation of a Twin-Engine Attack Airplane Model Having Nonmetric Powered Nacelles. NASA TN D-7742, 1974.
93. Scher, Stanley H.; and White, William L.: Spin-Tunnel Investigation of a 1/30-Scale Model of the Fairchild A-10A Airplane. NASA TM SX-3090, 1974.
- A-7 94. White, W. L.; and Bowman, J. S., Jr.: Spin-Tunnel Investigation of 1/30-Scale Model of the Vought TA-7C Airplane. NASA TM SX-78656, 1978.
95. Lee, Henry A.: Spin-Tunnel Investigation of a 1/30-Scale Model of a Subsonic Attack Airplane. NASA TM X-1788, 1969.
- B-1 96. Grantham, William D.; Deal, Perry L.; and Libbey, Charles E.: Piloted Simulator Study of the Stability and Control Characteristics of the B-1 Airplane at High Angles of Attack. NASA TM SX-3381, 1975.
97. Newsom, William A., Jr.; and Grafton, Sue. B.: Free-Flight Investigation of a 1/17-Scale Model of the B-1 Airplane at High Angles of Attack. NASA TM SX-2744, 1973. Confidential.
- A-9A 98. Scher, Stanley H.: Preliminary Langley Spin-Tunnel Test Results for Northrop A-9A Airplane. NASA LWP 1079, 1972.

99. Drinkwater, Fred J., III: Operational Technique for Transition of Several Types of V/STOL Aircraft. NASA TN D-774, 1961.
100. Reeder, John Paul: Handling Qualities Experience With Several VTOL Research Aircraft. NASA TN D-735, 1961.
101. Yaggy, Paul F.; and Goodson, Kenneth W.: Aerodynamics of a Tilting Ducted Fan Configuration. NASA TN D-785, 1961.
- F-18 102. Petit, J. E.; Capone, F. J.: Performance Characteristics of a Wedge Nozzle Installed on an F-18 Propulsion Wind Tunnel Model. AIAA Paper 79-1164, 1979.
103. Capone, F. J.; Gowadia, N. S.; and Wooten, W. H.: Performance Characteristics of Nonaxisymmetric Nozzles Installed on the F-18 Aircraft. AIAA Paper 79-0101, 1979.
- F-4 104. Yager, T. J.: NASA Studies on Effect of Grooved Runway Operations on Aircraft Vibrations and Tire Wear. From Pavement Grooving and Traction Studies, NASA Langley Research Center, 1969, pp 189-201.
105. Grafton, S. B.; and Newsom, W. A., Jr.: Free-Flight Investigation of Effects of Slats on Lateral-Directional Stability of a 0.13 Model of the F-4E Airplane. NASA TM-SX-2337, 1971.
106. Bowman, J. S.; and White, W. L.: Spin-Tunnel Investigation of a 1/30 Scale Model of the Fighter and Reconnaissance Versions of the McDonnell F-4B Airplane. NASA TM SX-1744, 1969.
107. Pennington, J. R.; Meintel, A. J., Jr.; and Beissner, F. L., Jr.: Results of F-4 Parametric Studies Conducted on the Differential Maneuvering Simulator. NASA TM X-72840, 1976.
- P-1127 108. Smith, Charles C., Jr.: Flight Tests of a 1/6-Scale Model of the Hawker P-1127 Jet VTOL Airplane. NASA TM SX-531, 1961. (Confidential).
109. Culpepper, R. G.; Paterson, W. C.; Vangunst, R. W.; and Person, L. H., Jr.: A Flight Investigation of the Effect of Increased Vectoring on the Performance of the Kestrel Aircraft. NASA TM X-72766, 1976.
110. Gerdes, R. M.; Holzhauser, C. A.; Morello, S. A.; and Pearson, L. H., Jr.: Operational Aspects of V/STOL Instrument Approaches. NASA Conference on Aircraft Safety and Operating Problems, Vol. 1, 1971, pp 233-247.

- X-15      111. Alford, William J., Jr.: Subsonic Wind-Tunnel Investigation of Errors Indicated by Total-Pressure Tubes in the Flow Field of a Body Simulating the Nose of the X-15 Research Airplane. NASA TN D-1250, 1962.
112. Coates, Edward M., Jr.: Stagnation and Static Pressures on a Nose-Mounted  $15^{\circ}$  Conical Probe With Various Forebody Configurations. TN D-3526, 1966.
- Fokker    113. Luoma, Arvo A.: Aerodynamic Characteristics at Transonic VTOL      Speeds of an Airplane Configuration With an  $83.5^{\circ}$  Delta Wing Having Auxiliary Variable-Sweep Wing Panels. NASA TM X-704, 1963.
- AP-100    114. Kirby, Robert H.: Hovering and Transition Flight Test of a Supersonic Fan-in-Fuselage VTOL Fighter Model. NASA TM X-TM X-424, 1961.
- GETOL    115. Grunwald, Kalman J.: Investigation of a Semispan Tilt-Wing VTOL Model to Determine Ground Effect on Full-Span Flaps Used for Yaw Control in Hovering. NASA TN D-3437, 1966.
116. Goodson, Kenneth W.: Ground Effects on a Four-Propeller Tilt-Wing Configuration Over a Fixed and a Moving Ground Plane. NASA TN D-3938, 1967.
117. Kirby, Robert H.; and Chambers, Joseph R.: Flight Investigation of Dynamic Stability and Control Characteristics of a 0.18-Scale Model of a Fan-in-Wing VTOL Airplane. NASA TN D-3412, 1966.
118. Goodson, Kenneth W.: Effect of Ground Proximity on the Longitudinal, Lateral, and Control Aerodynamic Characteristics of a Tilt-Wing Four-Propeller V/STOL Model. NASA TN D-4237, 1967.
- VZ-2      119. Kirby, R. H.; Schade, R. O.; and Tosti, L. P.: Force-Test Investigation of a 1/4 Scale Model of the Modified VZ-2 Aircraft. NASA TN D-2382, 1964.
120. Mitchell, R. G.: Full-Scale Wind-Tunnel Test of the VZ-2 VTOL Airplane With Particular Reference to the Wing Stall Phenomena. NASA TN D-2013, 1963.
121. Kelley, H. L.; Pegg, R. J.; and Reeder, J. P.: Flight Investigation of the VZ-2 Tilt-Wing Aircraft With Full-Span Flap Flying Qualities and Aerodynamic Characteristics. NASA TN D-2680, 1965.



122. Ward, J. F.: Structural Load Surveys on Tilt-Wing VTOL Aircraft Airframe Vibratory Loads of VZ-2 VTOL and Wing Loads of Research Model in Wind Tunnel Tests. NASA Conference on V/STOL Aircraft, Langley Research Center, 1960.
- C-5A 123. Dunham, R. Earl, Jr.; Verstynen, Harry A., Jr.; and Benner, Margaret S.: Preliminary Results of a Flight Investigation of the Trailing Vortices Generated by a C-5A Heavy Jet Transport. LWP-969, 1971
124. Grafton, Sue B.; Parlett, Lysle P.; and Smith, Charles C., Jr.: Dynamic Stability Derivatives of a Jet Transport Configuration With High Thrust-Weight Ratio and an Externally Blown Jet Flap. NASA TN D-6440, 1971.
125. Flechner, Stuart G.; and Patterson, James C., Jr.: Tabulated Pressure Measurements on a Large Subsonic Transport Model Airplane With High-Bypass-Ratio, Powered, Fan-Jet Engines. NASA TM X-2530, 1972.
126. Thompson, William C.: Ditching Investigation of a 1/30-Scale Dynamic Model of a Heavy Jet Transport Airplane. NASA TM X-2445, 1972.
- F-104 127. Lee, Henry A.; and Libbey, Charles E.: Incipient- and Developed-Spin and Recovery Characteristics of a Modern High-Speed Fighter Design With Low Aspect Ratio as Determined From Dynamic-Model Tests. TN D-956, 1961.
128. Weirich, Robert L.: A Summary of the Angle-of-Attack Performance Characteristics at Supersonic and Subsonic Mach Numbers of Several Air Induction Systems Which are Applicable to Fighter-Type Aircraft. NASA LWP-481, 1962.
129. Thor, Wayne A.: Rolling Stability Derivatives for a T-Tail Fighter Configuration at Subsonic Speeds. NASA LWP-1057, 1972.
- F-111 130. Staff of the NASA Research Centers: Summary of NASA Support of the F-111 Development Program. Part I - December 1962-December LWP-246, 1966. (Confidential).
131. Summary of NACA/NASA Variable-Sweep Research and Development Leading to the F-111 (TFX). NASA LWP-285, 1966. (Confidential).
132. Compiled by NASA Intercenter VFAX/FX Team: Langley, Ames, Lewis, and Flight Research Centers Support of DOD VFAX/FX Projects: A Progress Report. NASA SP-178, 1968. (Confidential).

133. Wilmoth, Richard G.; and Re, Richard J.: Performance of the External Compression Inlet of a 1/6-Scale Model of a Variable-Sweep Tactical Fighter at Transonic Speeds, Phase I. NASA TM X-1804, 1969.
134. Ayers, Theodore G.: Transonic Aerodynamic Characteristics of a Variable-Wing-Sweep Tactical Fighter Model. NASA TM X-1368, (Confidential).
135. Richardson, Celia S.: Effect of Speed Brakes on the Supersonic Aerodynamic Characteristics of a Variable Sweep Tactical Fighter Model at Mach Numbers From 1.60 to 2.50. NASA TN D-4773, 1968.
- DO-31 136. Holzhauser, Curt A.; Morello, Samuel A.; Innis, Robert C.; and Patton, James M., Jr.: A Flight Evaluation of a VTOL Jet Transport Under Visual and Simulated Instrument Conditions. NASA TN D-6754, 1972.
137. Patton, J. M., Jr.: A Pilot's Opinion - VTOL Control Design Requirements for the Instrument Approach Task. AHS Preprint 644, 1972.
138. Gerdes, R. M.; Holzhauser, C. A.; Morello, S. A.; and Pearson, L. H. Jr.: Operational Aspects of V/STOL Instrument Approaches. NASA SP-270, 1971, pp. 233-247.
139. Smith, Charles C., Jr.; and Parlett, Lysle P.: Flight Tests of a 0.13-Scale Model of a Vectored-Thrust Jet VTOL Transport Airplane. NASA TN D-2285, 1964.
- B-57 140. Henderson, W. P.: Aerodynamic Characteristics of a 1/25-Scale Model of the RB-57F at Mach Numbers from 0.20 to 0.80. NASA TM SX-1027, 1964.
- B-70 141. Johnson, Joseph L., Jr.: Wind-Tunnel Investigation of Low-Subsonic Flight Characteristics of a Model of a Canard Airplane Designed for Supersonic Cruise Flight. NASA TM X-229, 1960.
- Tandem Wing 142. Henderson, W. P.; and Huffman, J. K.: Aerodynamic Characteristics of a Tandem Wing Configuration at a Mach Number of 0.30. NASA TM X-72779, 1975.
- B-52 143. Abel, I.; and Sandford, M. C.: Status of Two Studies on Active Control of Aeroelastic Response at NASA Langley Research Center. AGARDOGRAPH 175, 1974, pp. 23-48.

144. Doggett, R. V., Jr.; Abel, I; and Ruhlin, C. L.: Some Experiences Using Wind-Tunnel Models in Active Control Studies. NASA TM X-3409, 1976, pp. 831-892.
145. Redd, L. T.; Gilman, J., Jr.; Cooley, D. E.; and Severt, F. D.: A Wind-Tunnel Investigation of a B-52 Model Flutter Suppression System. AIAA Paper 74-401, 1974.
- Sparrow III 146. Monta, W. J.: Supersonic Aerodynamic Characteristics of a Sparrow 3 Type Missile Model With Wing Controls and Comparison With Existing Tail-Control Results. NASA TP-1078, 1977.
- XFV-12A 147. Culpepper, R. G.; and Murphy, R. D.: A Unique Facility for V/STOL Aircraft Hover Testing. Workshop of V/STOL Aerodynamics, U.S. Naval Postgraduate School, Monterey, Calif., 1979.
- Runways 148. Anon: Pavement Grooving and Traction Studies. NASA SP-5073, 1968.
149. Morris, Garland J.: Response of Several Turbojet Airplanes to Runway Roughness. NASA TN D-5740, 1970.
- Landing Gear 150. Fisher, B. D.; Sleeper, R. K., and Stubbs, S. M.: Summary of NASA Landing Gear Research. NASA TM-78679, 1978.
- Supersonic Cruise 151. Shrout, B. L.: Aerodynamic Characteristics at Mach Numbers From 0.6 to 2.16 of a Supersonic Cruise Fighter Configuration With a Design Mach Number of 1.8. NASA TM X-3559, 1977.
152. Shrout, B. L.; and Fournier, R. H.: Aerodynamic Characteristics of a Supersonic Cruise Airplane Configuration at Mach Numbers of 2.30, 2.96, and 3.30. NASA TM-78792, 1979.
153. Shrout, B. L.; Corlett, W. A.; and Collins, I. K.: Surface Pressure Data For a Supersonic-Cruise Airplane Configuration at Mach Numbers of 2.30, 2.96, and 3.30. NASA TM-80061, 1979

## SECTION B

### RECENT LANGLEY RESEARCH CENTER CONTRIBUTIONS TO MILITARY AIRCRAFT TECHNOLOGY (1974-1978).

1978

1. Foss, Willard E., Jr.; and Sorrells, Russell B., III: Trade Studies Relating to a Long Range Mach 2.6 Supercruiser. NASA TM-78811, 1978.
2. Jobe, Charles E.; Noggle, Larry W.; and Whitehead, Allen H., Jr.: Prospects for a Civil/Military Transport Aircraft. NASA TM-78724, 1978.
3. Showers, R. G.; and Shoebbotham, D. B.: Analysis of Phase II VIFF Harrier ACM Flight Trials. NASA CR-2989, 1978. (McDonnell Douglas Corporation)
4. Lewis, Ernest L.; Culpepper, Richard G.; and Hancock, Virgil R.: An Innovative Technique for Static and Dynamic V/STOL Testing. Presented at the 34th Annual National Forum of the American Helicopter Society, May 1978.
5. Barger, Raymond L.: A Distributed Vortex Method for Computing the Vortex Field Around a Missile. NASA TP-1183, 1978.
6. Blair, A. B., Jr.: Wind-Tunnel Investigation at Mach Numbers from 1.90 to 2.86 of a Canard-Controlled Missile With Ram-Air-Jet Spoiler Roll Control. NASA TP-1124, 1978.
7. Blair, A. B., Jr.: Wind-Tunnel Investigation at Supersonic Speeds of a Canard-Controlled Missile With Fixed and Free-Rolling Tail Fins. NASA TP-1316, 1978.
8. Blair, A. B., Jr.: An Experimental Wind-Tunnel Investigation of a Ram-Air-Spoiler Roll-Control Device on a Forward-Control Missile at Supersonic Speeds. NASA TP-1353, 1978.
9. Capone, Francis, J.: Static Performance of Five Twin-Engine Nonaxisymmetric Nozzles With Vectoring and Reversing Capability. NASA TP-1224, 1978.
10. Carson, George T., Jr.; and Mason, Mary L.: Experimental and Analytical Investigation of a Nonaxisymmetric Wedge Nozzle at Static Conditions. NASA TP-1188, 1978.
11. Corlett, William A.; and Watson, Carolyn B.: Aerodynamic Characteristics of a Model of a High-Altitude Supersonic Target Missile at Mach Numbers of 2.30, 2.96, and 4.00 (Coord. No AF-AM-620). NASA TM SX-78754, 1978.
12. Dollyhigh, Samuel M.; Sangiorgio, Guiliania; and Monta, William J.: Effects of Stores on Longitudinal Aerodynamic Characteristics of a Fighter at Supersonic Speeds. NASA TP-1175, 1978.

13. Henderson, William P.: Effects of Wing Leading-Edge Flap Deflections on Subsonic Longitudinal Aerodynamic Characteristics of a Wing-Fuselage Configuration with a  $44^{\circ}$  Swept-Wing. NASA TP-1351, 1978.
14. Henderson, William P.; and Grafton, Sue B.: Effect of Close-Coupled Canard on Low-Speed Aerodynamic Characteristics of a Model of a Highly Maneuverable Airplane. NASA TM-78775, 1978.
15. Leavitt, Laurence D.; and Yip, Long P.: Effects of Spanwise Nozzle Geometry and Location on the Longitudinal Aerodynamic Characteristics of a Vectored-Engine-Over-Wing Configuration at Subsonic Speeds. NASA TP-1215, 1978.
16. Re, Richard J.; and Capone, Francis J.: Longitudinal Aerodynamic Characteristics of a Fighter Model With Close-Coupled Canard at Mach Numbers From 0.50 to 1.20. NASA TP-1206, 1978.
17. Robins, A. Warner; Sorrells, Russell B., III; and Howell, Dorothy T.: Wind-Tunnel Investigation at Mach Numbers 1.60 and 2.00 of a Model Representative of the Variable-Sweep Backfire Bomber at Maximum Wing Sweep. NASA TM-78770, 1978.
18. McDonnell Aircraft Company: F-15 2-D Nozzle System Integration Study - Vol. I, - Technical Report. NASA CR-145295, 1978 (NAS1-14783 McDonnell Douglas Corporation)
19. McDonnell Aircraft Company: F-15 2-D Nozzle System Integration Study - Vol. II - 2-D Nozzle Effects on the Probability of Detection and Conversion. NASA CR-145296, 1978. (NAS1-14783 McDonnell Douglas Corporation)
20. McDonnell Aircraft Company: F-15 2-D Nozzle System Integration Study - Vol. III - Appendices. NASA CR-145297, 1978. (NAS1-14783 McDonnell Douglas Corporation)
21. Berrier, Bobby L.; and Re, Richard J.: A Review of Thrust-Vectoring Schemes for Fighter Applications. Presented at the AIAA/SAE 14th Joint Propulsion Conference, July 1978.
22. Blair, A. B., Jr.; Sawyer, Wallace C.; and Jackson, Charlie M., Jr.: A Ram-Air-Spoiler Roll Stabilization Device for Forward Control Cruciform Missiles. Presented at the AIAA 16th Aerospace Sciences Meeting. January 1978.
23. Child, R. D.; and Henderson, W. P.: Canard Configured Aircraft with 2-D Nozzle. Presented at the AIAA Aircraft Systems and Technology Meeting, August 1978.
24. Hunt, James L; Lawing, Pierce L.; Marcum, Don C.; and Cubbage, James M.: Conceptual Study of Hypersonic Airbreathing Missiles. Presented at the AIAA 16th Aerospace Sciences Meeting, January 1978.

25. Leavitt, Laurence D.; Whitten, P. D.; and Stumpf, Stephen C.: Effects of Spanwise Nozzle Geometry and Location of the Longitudinal Aerodynamic Characteristics of a Vectored-Engine-Over Wing Configuration at  $M = 0.19$ . Presented at the AIAA/SAE 14th Joint Propulsion Conference, July 1978.
26. Mercer, Charles E.: Wind Tunnel Derived Propulsive Performance Corrections Applicable to the TACT Aircraft. Presented at the Symposium on Transonic Aircraft Technology (TACT), August 1978.
27. Nugent, Jack; Pendergraft, Odis C., Jr.; and Taillon, Norman V.: Nozzle-Airframe Studies of a Highly Maneuverable Fighter Aircraft. Presented at the AIAA SAE 14th Joint Propulsion Conference, July 1978.
28. Spearman, M. Leroy: Historical Development of World Wide Guided Missiles. Presented at the AIAA 16th Aerospace Sciences Meeting, January 1978.
29. Spearman, M. Leroy; and Fournier, Roger H.: Supersonic Aerodynamic Characteristics of a Tail-Control Cruciform Maneuverable Missile With and Without Wings. Presented at the AIAA Atmospheric Flight Mechanics Conference, August 1978.
30. Capone, Francis J.: Aerodynamic Characteristics Induced on a Supercritical Wing Due to Vectoring Twin Nozzles at Mach Numbers 0.40 to 0.95. NASA TM-78746, 1978.
31. Boyden, Richmond P.: Subsonic Dynamic Stability Characteristics of Two Close-Coupled Canard-Wing Configurations. NASA TP-1291, 1978.
32. Boyden, Richmond P.; Brooks, Cuyler W., Jr.; and Davenport, Edwin E.: Transonic Static and Dynamic Stability Characteristics of a Finned Projectile Configuration. NASA TM-74058, 1978.
33. Gloss, Blair B.: Effect of Camber on the Trimmed Lift Capability of a Close-Coupled Canard-Wing Configuration. NASA TM-78686, 1978.
34. Gloss, Blair B.; Ray, Edward, J.; and Washburn, Karen, E.: Effect of Canard Vertical Location, Size, and Deflection on Canard-Wing Interference at Subsonic Speeds. NASA TM-78790, 1978.
35. Smith, C. W.; and Bhateley, I. C.: Aerodynamic Characteristics of Forebody and Nose Strakes Based on F-16 Wind Tunnel Test Experience. Vol. II - Data Base. NASA CR-158922, 1978. (NAS1-15006 General Dynamics Corporation)
36. Anglin, Ernie L.: Aerodynamic Characteristics of Fighter Configurations During Spin Entries and Developed Spins. AIAA Journal of Aircraft, November 1978.
37. Chambers, Joseph R.; Gilbert, William P.; and Nguyen, Luat T.: Results of Piloted Simulator Studies of Fighter Aircraft at High Angles of Attack. Presented at the AGARD Fluid Dynamics Panel Symposium on Dynamic Stability Parameters, May 1978.

38. Gilbert, William P.; and Nguyen, Luat T.: Use of Piloted Simulation for Studies of Fighter Departure/Spin Susceptibility. Presented at the AGARD Flight Mechanics Panel Symposium on Piloted Aircraft Environmental Simulation Techniques, April 1978.
39. Gloss, Blair B.; and Washburn, Karen E.: Load Distribution on a Close-Coupled Wing Canard at Transonic Speeds. AIAA Journal of Aircraft, April 1978.
40. Thames, Frank C.; and Weston, Robert P.: Properties of Aspect-Ratio-4.0 Rectangular Jets in a Subsonic Crossflow. Presented at the AIAA Aircraft Systems and Technology Meeting, August 1978.
41. Thomas, James L.; Paulson, John W., Jr.; and Yip, Long P.: Deflected Thrust Effects on a Close-Coupled Canard Configuration. AIAA Journal of Aircraft, May 1978.
42. Fox, Charles H., Jr.: Subsonic Longitudinal and Lateral-Directional Static Aerodynamic Characteristics of a General Research Fighter Model Employing a Strake-Wing Concept. NASA TM-74071, 1978.
43. Huffman, Jarrett K.; and Fox, Charles H., Jr.: Subsonic Longitudinal and Lateral-Directional Static Aerodynamic Characteristics for a Close-Coupled Wing-Canard Model in Both Swept Back and Swept Forward Configurations. NASA TM-74092, 1978.
44. Huffman, Jarrett K.; and Fox, Charles H., Jr.: Subsonic Longitudinal and Lateral-Directional Static Aerodynamic Characteristics for a Model With Swept Back and Swept Forward Wings. NASA TM-74093, 1978.
45. Huffman, Jarrett K.; Fox, Charles H., Jr.; and Ziegler, Henry: Subsonic Longitudinal and Lateral-Directional Static Aerodynamic Characteristics of a General Research Fighter Configuration Employing a Jet Sheet Vortex Generator. NASA TM 74049, 1978.
46. Nguyen, Luat T.; Ogburn, Marilyn E.; Pollock, Kenneth S.; Deal, Perry L.; and Brown, Phillip W.: Simulator Study of High-Angle-of-Attack Flight of the F-14 Airplane With Maneuver Slats. NASA TM-78799, 1978.
47. Paulson, John W., Jr.; and Thomas, James L.: Effect of Twist and Camber on the Low-Speed Aerodynamic Characteristics of a Powered Close-Coupled Wing-Canard Configuration. NASA TM-78722, 1978.
48. Phelps, Arthur E.; and Mineck, Raymond E.: Aerodynamic Characteristics of a Counter-Rotating, Coaxial, Hingeless Rotor Helicopter Model With Auxiliary Propulsion. NASA TM-78705, 1978.
49. Washburn, Karen E.; and Gloss, Blair B.: Aerodynamic Load Distributions at Transonic Speeds for a Close-Coupled Wing-Canard Configuration: Tabulated Pressure Data. NASA TM-78780, 1978.

1. The Boeing Company: Technical and Economic Assessment of Swept-Wing Span-Distributed Load Concepts for Civil and Military Air Cargo Transports. NASA CR-145229, 1977.
2. Jernell, Lloyd S.; and Quartero, C. Baptiste: Design of a Large Span-Distributed Load Flying-Wing Cargo Airplane. NASA TM X-74031, 1977.
3. Culpepper, Richard G.; Woodfield, Alan A.; Person, Lee H., Jr.; Hamilton, B. Ian L.; and Silsby, Norman S.: Effects of Thrust Vectoring in Forward Flight (VIFF) on Maneuvering Performance and Handling Qualities of a Prototype Harrier Aircraft. NASA TM X-3462, 1977.
4. Kelly, James R.; Niessen, Frank R.; Yenni, Kenneth R.; and Person, Lee H., Jr.: Flight Investigation of a Vertical Velocity Command System for VTOL Aircraft. NASA TN D-8480, 1977.
5. Barger, Raymond L.: Slender Body Treatment of Some Specialized Problems Associated with Elliptic-Cross-Section Missile Configuration. NASA TN D-8495, 1977.
6. Berrier, Bobby L.: Effect of Nonlifting Empennage Surfaces on Single-Engine Afterbody/Nozzle Drag at Mach Numbers From 0.5 to 2.2. NASA TN D-8326, 1977.
7. Blair, A. B., Jr.: Stability and Control Characteristics of a Monoplanar Missile Configuration With Two Low-Profile Tail Arrangements at Mach Numbers From 1.70 to 2.86. NASA TM X-3533, 1977.
8. Capone, Francis, J.; and Maiden, Donald L.: Performance of Twin Two-Dimensional Wedge Nozzles Including Thrust Vectoring and Reversing Effects at Speeds up to Mach 2.20. NASA TN D-8449, 1977.
9. Dollyhigh, Samuel M: Subsonic and Supersonic Longitudinal Stability and Control Characteristics of an Aft-Tail Fighter Configuration With Cambered and Uncambered Wings and Cambered Fuselage. NASA TN D-8472, 1977.
10. Dollyhigh, Samuel M.; Monta, William J.; and Sangiorgio, Giuliana: Longitudinal Aerodynamic Characteristics at Mach 0.60 to 2.86 of a Fighter Configuration With Strut Braced Wing. NASA TP-1102, 1977.
11. Fournier, Roger H: Supersonic Aerodynamic Characteristics of a Series of Wrap-Around Fin Missile Configurations. NASA TM X-3461, 1977.
12. Graves, Ernauld B.: Aerodynamic Characteristics of a Monoplanar Missile Concept With Bodies of Circular and Elliptical Cross Sections. NASA TM-74079, 1977.
13. Hayes, Clyde: Aerodynamic Characteristics of 1/4-Scale Model of ALARAAM Missile Configuration at Supersonic Speeds. NASA TM-74075, 1977.



14. Hayes, Clyde; and Sawyer, Wallace C.: Aerodynamic Characteristics of a Model Simulating the Gainful (SA-6) Missile at Supersonic Mach Numbers. NASA TM X-3493, 1977.
15. Monta, William J.: Supersonic Aerodynamic Characteristics of a Sparrow III Type Missile Model With Wing Controls and Comparison With Existing Tail-Control Results. NASA TP-1078, 1977.
16. Morris, Odell A.: Subsonic and Supersonic Aerodynamic Characteristics of a Supersonic Cruise Fighter Model With a Twisted and Cambered Wing With 74° Sweep. NASA TM X-3520, 1977.
17. Re, Richard J.; and Capone, Francis J.: An Investigation of a Close-Coupled Canard as a Direct Side-Force Generator on a Fighter Model at Mach Numbers From 0.40 to 0.90. NASA TN D-8510, 1977.
18. Shrout, Barrett L.: Aerodynamic Characteristics at Mach Numbers From 0.60 to 2.16 of a Supersonic Cruise Fighter Configuration With a Design Mach Number of 1.8. NASA TM X-3559, 1977.
19. Spearman, M. Leroy; and Monta, William J.: Effects of External Stores on the Aerodynamic Characteristics of a 60° Delta-Wing Fighter Model at Mach 1.60 to 2.87. NASA TM-74090, 1977.
20. Spearman, M. Leroy; and Sawyer, Wallace C.: Longitudinal Aerodynamic Characteristics at Mach Numbers From 1.60 to 2.86 for a Fixed-Span Missile With Three Wing Planforms. NASA TM-74088, 1977.
21. Wassum, Donald L.: Wind-Tunnel Investigation at Mach Numbers From 1.60 to 2.86 of a Variable-Sweep Model Simulating a Flogger Fighter-Interceptor Airplane. NASA TM X-3502, 1977.
22. Burkhalter, John E.: Analysis and Compilation of Missile Aerodynamic Data - Vol. II - Performance Analysis, NASA CR-2836, 1977. (NSG-1002 Auburn University.)
23. Hague, D. S.; and Rozendaal, H. L.: NSEG - A Segmented Mission Analysis Program for Low and High Speed Aircraft: Volume I. Theoretical Development. NASA CR-2807, 1977. (NAS1-13599 Aerophysics Research Corporation.)
24. Hague, D. S.; and Rozendaal, H. L.: NSEG - A Segmented Mission Analysis Program for Low and High Speed Aircraft: Volume II. Program User's Manual. NASA CR-2808, 1977. (NAS1-13599 Aerophysics Research Corporation.)
25. Hague, D. S.; and Rozendaal, H. L.: NSEG - A Segmented Mission Analysis Program for Low and High Speed Aircraft: Volume III. Demonstration Problems. NASA CR-2809, 1977. (NAS1-13599 Aerophysics Research Corporation.)

26. Nichols, James O.: Analysis and Compilation of Missile Aerodynamic Data - Volume I - Data Presentation. NASA CR-2835, 1977. (NSG-1002 Auburn University.)
27. Agone, A. M.; Zakkay, V.; Tory, E.; and Stallings, R. L., Jr.: Aerodynamics of Slender Finned Bodies at Large Angles of Attack. Presented at the AIAA 10th Fluid and Plasma Dynamics Conference, June 1977.
28. Berrier, Bobby L.; Palcza, J. Lawrence; and Richey, G. Keith: Nonaxisymmetric Nozzle Technology Program - An Overview. Presented at the AIAA Aircraft Systems and Technology Meeting, August 1977.
29. Graves, Earnald B.: A Monoplanar Missile - The Aerodynamics With Bodies of Circular and Elliptical Cross Section. Presented at the 49th Annual Convention of the National Technical Association, August 1977.
30. Pendergraft, Odis C., Jr.: Comparison of Axisymmetric and Nonaxisymmetric Nozzles Installed on the F-15 Configuration. Presented at the AIAA/SAE 13th Propulsion Conference, July 1977.
31. Richey, G. K.; Berrier, Bobby L.; and Palcza, J. L.: Two Dimensional Nozzle/Airframe Integration Technology - An Overview. Presented at the AIAA/SAE 13th Propulsion Conference, July 1977.
32. Sawyer, Wallace C.; Jackson, Charlie M., Jr.; and Blair, A. B., Jr.: Aerodynamic Technologies for the Next Generation of Missiles. Presented at the AIAA/ADPA Tactical Missiles Conference, April 1977.
33. Spearman, M. Leroy; Fournier, Roger H.; and Lamb, Milton: Aerodynamic Characteristics of Supersonic Fighter Airplane Configurations Based on Soviet Design Concepts. Presented at the AIAA 4th Atmospheric Flight Mechanics Conference, August 1977.
34. Spearman, M. Leroy; and Sawyer, Wallace C.: Effects of External Stores on the Air Combat Capability of a Delta Wing Fighter. Presented at the Fourth JTCG Aircraft/Stores Compatibility Symposium, October 1977.
35. Willard, C. M.; Capone, F. J.; Konarski, M.; and Stevens, H. L.: Static Performance of Vectoring/Reversing Non-Axisymmetric Nozzles. Presented at the AIAA/SAE 13th Propulsion Conference, July 1977.
36. Wilmoth, Richard G.: Analytical Study of Viscous Effects on Transonic Flow Over Boattail Nozzles. Presented at the AIAA 15th Aerospace Sciences Meeting, January 1977.
37. Bowman, James S., Jr.; White, William L.; and Lee, Henry A.: Spin-Tunnel Investigation of a 1/30-Scale Model of the McDonnell Douglas F-15 Airplane (COORD No. AF-AM-010.). NASA TM SX-3570, 1977.
38. Chambers, Joseph R.; and Grafton, Sue B.: Aerodynamic Characteristics of Airplanes at High Angles of Attack. NASA TM-74097, 1977.

39. Erickson, Gary E.; and Campbell, James F.: Improvement of Maneuver Aerodynamics by Spanwise Blowing. NASA TP-1065, 1977.
40. Ferris, James C.: Wind-Tunnel Investigation of a Variable Camber and Twist Wing. NASA TN D-8475, 1977.
41. Gainer, Thomas G.; and Huffman, Jarrett K.: Longitudinal Characteristics of a Configuration With Exhaust From Forward-Mounted Engines Directed Over or Under Wing to Produce High Lift. NASA TM X-3419, 1977.
42. Nguyen, Luat T.; Gilbert, William P.; and Van Gunst, Roger W.: Simulator Study of the Departure Resistance of a Lightweight Fighter Airplane With Twin Vertical Tails. NASA TM X-3510, 1977.
43. Scher, Stanley H.; and White, William L.: Spin-Tunnel Investigation of a 1/20-Scale Model of the Northrop F-5E (COORD No. AF-AM-422.) NASA TM SX-3556, 1977.
44. Wilson, John C.; Freeman, Carl E.; and Stroub, Robert: Wind-Tunnel Investigation of Full-Scale Semispan Helicopter Wings With Several Missile Stores. NASA TM SX-3543, 1977.
45. Yip, Long P.; and Paulson, John W., Jr.: Effects of Deflected Thrust on the Longitudinal Aerodynamic Characteristics of a Close-Coupled Wing-Canard Configuration. NASA TP-1090, 1977.
46. Hinson, Bobby L.; and Blackwell, James A., Jr.: Design and Wind-Tunnel Test of a 20-Percent Thick Supercritical Airfoil at Transonic Speeds. NASA CR-145118, 1977. (NAS1-14333 Lockheed-Georgia Company.)
47. Montoya, R. Jorge; and Jai, Atul: Systems Analyses of a Stall/Spin Research Facility Using Controlled/Augmented Aircraft Models. NASA CR-145182, 1977. (NAS1-14046 Research Triangle Institute.)
48. Anglin, Ernie L.: Recent Research on Aerodynamic Characteristics of Fighter Configurations During Spins. Presented at the AIAA 4th Atmospheric Flight Mechanics Conference, August 1977.
49. Campbell, John P.; Thomas, James L.; and Hassell, James L., Jr.: Recent Research on Powered-Lift STOL Ground Effects. Presented at the AIAA/NASA Ames V/STOL Conference, June 1977.
50. Chambers, Joseph R.: Aerodynamic Characteristics at High Angles of Attack. Presented at the AGARD/VKE Special Course on "Aerodynamic Inputs for Problems in Aircraft Dynamics," April 1977.
51. Chambers, Joseph R.: Overview of the NASA/Stall/Spin Technology Program for Light General Aviation Airplanes. Presented at the AIAA 4th General Aviation Technologyfest, November 1977.

52. Gloss, Blair B.; and Washburn, Karen E.: Load Distribution of a Close-Coupled Wing Canard at Transonic Speeds. Presented at the AIAA 4th Atmospheric Flight Mechanics Conference, August 1977.
53. Gloss, Blair B.; and Washburn, Karen E.: Load Distribution on a Closed-Coupled Wing Canard at Transonic Speeds. NASA TM-74053, 1977.
54. Thomas, James L.; Paulson, John W.; and Yip, Long P.: Effects of Deflected Thrust on the Stability and Performance Characteristics of a Close-Coupled Canard Fighter Configuration. Presented at the AIAA/SAE 13th Propulsion Conference, July 1977.
55. Erickson, Gary E.; and Campbell, James F.: Augmentation of Maneuver Performance by Spanwise Blowing. NASA TM X-73998, 1977.
56. Huffman, Jarrett K.; and Fox, Charles H., Jr.: Subsonic Longitudinal Aerodynamic Characteristics of a Vectored-Engine-Over-Wing Configuration Having Spanwise Leading Edge Vortex Enhancement. NASA TM X-73955, 1977.
57. Huffman, Jarrett K.; Fox, Charles H., Jr.; and Grafton, Sue B.: Subsonic Longitudinal and Lateral Directional Static Stability Characteristics of a Variable Sweep Fighter Configuration Employing Various Control Surface Deflections at Angles of Attack of  $0^{\circ}$  to  $50^{\circ}$  in Large Sideslip Angles. NASA TM X-74050, 1977.
58. Lan, C. Edward; Fillman, Greg L.; and Fox, Charles H., Jr.: Computer Program for Calculating Aerodynamic Characteristics of Upper-Surface-Blowing and Over-Wing-Blowing Configurations. NASA TM X-73987, 1977.
59. Paulson, John W., Jr.; Thomas, James L.; and Yip, Long P.: Low-Speed Power Effects on Advanced Fighter Configurations With Two-Dimensional Deflected Thrust. NASA TM X-74010, 1977.

1. Sorrells, Russell B., III; and Landrum, Emma Jean: Theoretical and Experimental Study of Twisted and Cambered Delta Wings Designed for a Mach Number of 3.5. NASA TN D-8247, 1976.
2. Johnston, William M.; Muehlbauer, John C.; Eudaily, Roy R.; Farmer, Ben T.; Honrath, John F.; and Thompson, Sterling G.: Technical and Economic Assessment of Span-Distributed Loading Cargo Aircraft Concepts. NASA CR-145034, 1976. (NAS1-14383 Lockheed-Georgia Company.)
3. Oman, B. H.: Computer Program for Weight Sizing, Economic, Performance & Missions Analysis of Fuel-Conservative Aircraft, Multibodied Aircraft & Large Cargo Aircraft Using Both JP & Alternative Fuels. NASA CR-145070, 1976. (NAS1-13285 General Dynamics Corporation.)
4. Anon: Technical and Economic Assessment of Span-Distributed Loading Cargo Aircraft Concepts. NASA CR-144962, 1976. (NAS1-13964 Douglas Aircraft Company.)
5. Anon: Technical and Economic Assessment of Span-Distributed Loading Cargo Aircraft Concepts. NASA CR-144963, 1976. (NAS1-13963 Boeing Commercial Airplane Company.)
6. Sorrells, R. B.; and Foss, W. E.: Trade Studies on a Long Range Mach 2.7 Supercruiser. Presented at the Technical Conference on Supercruise Military Aircraft Design, February 1976.
7. Schrader, Owen E.: Application of Advanced Technology to Future Long-Range Aircraft. NASA TM X-73921, 1976.
8. Culpepper, Richard G.; Paterson, William C.; Van Gunst, Rogert W.; and Person, Lee H., Jr.: A Flight Investigation of the Effect of Increased Thrust Vectoring on the Performance of the Kestrel Aircraft. NASA TM X-72766, 1976.
9. Culpepper, Richard G.; Woodfield, Alan A.; Person, Lee H., Jr.; Hamilton, Sqdn. Ldr. B. Ian L.; and Silsby, Norman S.: A Flight Investigation of the Effects of VIFF on the Maneuvering Performance and Handling Qualities of the Harrier Aircraft, NASA TM X-72765, 1976.
10. Capone, Francis J.: Effects of Nozzle Exit Location and Shape on Propulsion-Induced Aerodynamic Characteristics Due to Vectoring Twin Axisymmetric Nozzles at Mach Numbers from 0.40 to 1.2. NASA TM X-3313, 1976.
11. Compton, William B., III: Jet Exhaust and Support Interference Effects on the Transonic Aerodynamic Characteristics of a Fighter Model With Two Widely Spaced Engines. NASA TM X-3424, 1976.

12. Dollyhigh, Samuel M.; Morris, Odell A.; and Adams, Mary S.: Experimental Effects of Fuselage Camber on Longitudinal Aerodynamic Characteristics of a Series of Wing-Fuselage Configurations at a Mach Number of 1.41. NASA TM X-3411, 1976.
13. Fournier, Roger H.; Foster, Gerald V.; and Watson, Carolyn B.: Aerodynamic Characteristics at Mach 0.60 to 2.86 of a Canard-Controlled Span-Constrained Missile for Missions at Low to Moderate Altitudes. NASA TM X-3436, 1976.
14. Fuller, Dennis E.: Pressure Distributions for a Rectangular Supersonic Inlet at Subsonic Speeds. NASA TM X-3305, 1976.
15. Hayes, Clyde; and Monta, William J.: Aerodynamic Characteristics of a 1/4-Scale Model of Morass Missile Configurations at Supersonic Speeds. NASA TM X-3354, 1976.
16. Henderson, William P.: Effects of Wing Leading-Edge Radius and Reynolds Number on Longitudinal Aerodynamic Characteristics of Highly Swept Wing-Body Configurations at Subsonic Speeds. NASA TN D-8361, 1976.
17. Sawyer, Wallace C.; and Hayes, Clyde: Stability and Control Characteristics of an Air-Breathing Missile Configuration Having a Forward Located Inlet. NASA TM X-3391, 1976.
18. Berrier, B. L.: Propulsion Superintegration = Supercruiser. Presented at the Technical Conference on Supercruise Military Aircraft Design, February 1976.
19. Bradley, R. G.; Jeffries, R. R.; and Capone, F. J.: A Vectored-Engine-Over-Wing Propulsive Lift Concept. Presented at the AIAA Aircraft Systems and Technology Meeting, September 1976.
20. Capone, Francis J.: Summary of Propulsive-Lift Research in the Langley 16-Foot Transonic Tunnel. AIAA Journal of Aircraft, October 1976.
21. Dollyhigh, S. M.; Ayers, T. G.; Morris, O. A.; and Miller, D. M.: Designing for Supercruise and Maneuver. Presented at the Technical Conference on Supercruise Military Aircraft Design, February 1976.
22. Landrum, Emma Jean; and Townsend, James C.: Assessment of Existing Analytic Methods for Prediction of High Angle-of-Attack Loads on Delta Wings at Supersonic Speeds. Presented at the AGARD Symposium on "Prediction of Aerodynamic Loading," September 1976.
23. Maiden, Donald L.; and Petit, John E.: Investigation of Two-Dimensional Wedge Exhaust Nozzles for Advanced Aircraft. AIAA Journal of Aircraft, October 1976.
24. Putman, Lawrence E.: Favorable Interference Effects Due to Over the Wing Blowing. Presented at the Ad Hoc Aircraft Fuel Conservation Committee Meeting, February 1976.

25. Putman, Lawrence E.; and Abeyounis, William K.: Experimental and Theoretical Study of Flow Fields Surrounding Boattail Nozzles at Subsonic Speeds. Presented at the AIAA/SAE 12th Propulsion Conference, July 1976.
26. Shrout, B. L.; Morris, O. A.; Robins, A. W.; and Dollyhigh, S. M.: Review of NASA Supercruise Configuration Studies. Presented at the Technical Conference on Supercruise Military Aircraft Design, February 1976.
27. Berrier, Bobby L.; and Staff, Propulsion Integration Section: A Review of Several Propulsion Integration Features Applicable to Supersonic-Cruise Fighter Aircraft. NASA TM X-73991, 1976.
28. Bradley, R. G.; Jeffries, R. R.; and Capone, F. J.: A Vectored-Engine-Over-Wing Propulsive Lift Concept. Presented at the AIAA Aircraft Systems and Technology Meeting, September 1976.
29. Capone, Francis J.: Summary of Propulsive-Lift Research in the Langley 16-Foot Transonic Tunnel. AIAA Journal of Aircraft, October 1976.
30. Dollyhigh, S. M.; Ayers, T. G.; Morris, O. A.; and Miller, D. M.: Designing for Supercruise and Maneuver. Presented at the Technical Conference on Supercruise Military Aircraft Design, February 1976.
31. Landrum, Emma Jean; and Townsend, James C.: Assessment of Existing Analytic Methods for Prediction of High Angle-of-Attack Loads on Delta Wings at Supersonic Speeds. Presented at the AGARD Symposium on "Prediction of Aerodynamic Loading," September 1976.
32. Maiden, Donald L.; and Petit, John E.: Investigation of Two-Dimensional Wedge Exhaust Nozzles for Advanced Aircraft. AIAA Journal of Aircraft, October 1976.
33. Putman, Lawrence E.: Favorable Interference Effects Due to Over the Wing Blowing. Presented at the Ad Hoc Aircraft Fuel Conservation Committee Meeting, February 1976.
34. Shrout, B. L.; Morris, O. A.; Robins, A. W.; and Dollyhigh, S. M.: Review of NASA Supercruise Configuration Studies. Presented at the Technical Conference on Supercruise Military Aircraft Design, February 1976.
35. Berrier, Bobby L.; and Staff, Propulsion Integration Section: A Review of Several Propulsion Integration Features Applicable to Supersonic-Cruise Fighter Aircraft. NASA TM X-73991, 1976.
36. Bloom, Alvin M.; Hohlweg, William H.; and Sleeman, William C., Jr.: Wing-Surface - Jet Interaction Characteristics of an Upper-Surface Blown Model With Rectangular Exhaust Nozzles and a Radius Flap. NASA TN D-8187, 1976.
37. Gilbert, William P.; Nguyen, Luat T.; and Van Gunst, Roger W.: Simulator Study of the Effectiveness of an Automatic Control System Designed to Improve the High Angle-of-Attack Characteristics of a Fighter Airplane. NASA TN D-8176, 1976.

38. Coe, P. L., Jr.; and Gilbert, W. P.: Application of Low-Speed Aerodynamic Characteristics of Highly Swept Arrow-Wing Configurations to Supersonic Cruise Tactical Fighter Designs. Presented at the Technical Conference on Supercruise Military Aircraft Design, February 1976.
39. Gilbert, William P.: The Use of Piloted Simulator-Techniques for Stall/Departure Studies. Presented at the Air Force Flight Dynamics Laboratory High-Angle-of-Attack Workshop, November 1976.
40. Gilbert, William P.: Airframe Design for Spin Resistance - Automatic Stall/Departure Prevention. Presented at the University of Tennessee, Space Institute Short Course on "Experimental Flight Mechanics", November 1976.
41. Hassell, James L., Jr.: Results of Static Tests of a 1/4-Scale Model of the Boeing YC-14 Powered-Lift System. Presented at the 1976 Conference on Powered-Lift Aerodynamics and Acoustics, May 1976.
42. Johnson, William G., Jr.: Some Measurements of an EBF Powered-Lift Wake. Presented at the 1976 Conference on Powered-Lift Aerodynamics and Acoustics, May 1976.
43. Lan, C. Edward; and Campbell, James F.: Theoretical Predictions of Jet Interaction Effects for USB and OWB Configurations. Presented at the 1976 Conference on Powered-Lift Aerodynamics and Acoustics, May 1976.
44. Libbey, Charles E.: Drop-Model Test Techniques at the NASA Langley Research Center. Presented at the Air Force Flight Dynamics Laboratory High-Angle-of-Attack Workshop, November 1976.
45. Luckring, James M.; and Lamar, John L.: 3-D Separated Flow Theories for Predicting High- Fighter Aerodynamics. Presented at the Air Force Dynamics Laboratory High-Angle-of-Attack Workshop, November 1976.
46. Nguyen, Luat T.: Effects of Control System Design on Stall Spin Characteristics of Fighter Airplanes. Presented at the Air Force Flight Dynamics Laboratory High-Angle-of-Attack Workshop, November 1976.
47. Nguyen, Luat T.; Anglin, Ernie L.; and Gilbert, William P.: Recent Research Related to Prediction of Stall/Spin Characteristics of Fighter Aircraft. Presented at the AIAA Third Atmospheric Flight Mechanics Conference, June 1976.
48. Paulson, John W., Jr.; Thomas, James L.; and Yip, Long P.: Low-Speed Power Effects on Advanced Fighter Configurations with Two-Dimensional Deflected Thrust. Presented at the Air Force Flight Dynamics Laboratory High-Angle-of-Attack Workshop, November 1976.
49. Phelps, Arthur E., III; Johnson, Joseph L., Jr.; and Margason, Richard J.: Summary of Low-Speed Aerodynamic Characteristics of Upper-Surface-Blown Jet-Flap Configurations. Presented at the 1976 Conference on Powered-Lift Aerodynamics and Acoustics, May 1976.



50. Campbell, J. F.; Gloss, B. B.; and Lamar, J. E.: Vortex Maneuverable Lift for Super-Cruise Configurations. NASA TM X-72836, 1976.
51. Erickson, Gary E.; and Campbell, James F.: Flow Visualization of Vortices Locked by Spanwise Blowing Over Wings Featuring a Unique Leading-and Trailing Edge Flap System. NASA TM X-72788, 1976.

1. Whitehead, Allen H., Jr.: Perspective on the Span-Distributed-Load Concept for Application to Large Cargo Aircraft Design. NASA TM X-3320, 1975.
2. Whitehead, Allen H., Jr.: Preliminary Analysis of the Span-Distributed-Load Concept for Cargo Aircraft Design. NASA TM X-3319, 1975.
3. Showers, R. G.; and Wallace, R. E.: Analysis of Harrier ACM Flight Trails. NASA CR-2606, 1975, (L-93172 McDonnell Douglas Corporation.)
4. Jewel, Joseph W., Jr.: Mission Analysis of Four Aircraft Being Evaluated as Retardant Bombers. Presented at the Air Tankers Screening and Evaluation Board Meeting, March 1975.
5. Person, Lee H., Jr.: Vectored Thrust and Its Application to Tactical Fighter Operations. Presented at the Tactical Fighter Symposium, April 1975.
6. Blair, A. B. Jr.: Wind Tunnel Investigation of the Aerodynamic Characteristics of a Model Simulating the Kitchen Cruise Missile. NASA TM X-3280, 1975.
7. Blair, A. B., Jr.; Graves, Ernauld B.; and Foster, Gerald V.: Aerodynamic Characteristics at Mach Numbers from 1.75 to 2.96 of a Slender Missile With Cruciform Wing Controls and Interdigitated Simulated-Inlet Nacelles. NASA TM X-3150, 1975.
8. Capone, Francis J.: The Effects on Propulsion-Induced Aerodynamic Forces of Vectoring a Partial-Span Rectangular Jet at Mach Numbers from 0.40 to 1.20. NASA TN D-8039, 1975.
9. Compton, William B., III: Effects of Jet Exhaust Gas Properties on Exhaust Simulation and Afterbody Drag. NASA TR R-444, 1975.
10. Lamb, Milton; Blair, A. B., Jr.; and Brooks, C. W., Jr.: Wind Tunnel Tests of a Variable Sweep Model Simulating the Fencer Airplane. NASA TM X-3258, 1975.
11. Maiden, Donald L.: Performance of an Isolated Two-Dimensional Variable-Geometry Wedge Nozzle With Translating Shroud and Collapsing Wedge at Speeds Up to Mach 2.01. NASA TN D-7906, 1975.
12. Maiden, Donald L.: Effect of Inlet Cowl External Profile and External Stores on the Drag of a Fighter Airplane Model With Two-Dimensional Ramp Inlets. NASA TM X-2682, 1975.
13. Reubush, David E.; and Mercer, Charles E.: Effects of Nozzle Interfairing Modification on Longitudinal Aerodynamic Characteristics of a Twin-Jet, Variable-Wing-Sweep Fighter Model. NASA TN D-7817, 1975.

14. Child, R. D.: Design and Analysis of a Supersonic Penetration/Maneuvering Fighter. NASA CR-132633, 1975. (NAS1-13496 Rockwell International Corporation.)
15. Berrier, Bobby L.: Effect of Empennage Interference on Single Engine Afterbody/Nozzle Drag. Presented at the AIAA/SAE 11th Propulsion Conference, Sept. 1975.
16. Capone, Francis J.: Supercirculation Effects Induced by Vectoring a Partial-Span Rectangular Jet. AIAA Journal of Aircraft, Aug. 1975.
17. Capone, Francis J.: A Summary of Experimental Research on Propulsive-Lift Concepts in the Langley 16-Foot Transonic Tunnel. Presented at the AIAA/SAE 11th Propulsion Conference, Sept. 1975.
18. Corlett, William A.; and Fournier, Roger H.: An Experimental Study of the Effect of Missile Configuration Variables on Pitch Linearity. Presented at the 10th Navy Symposium on Aeroballistics, July 1975.
19. Sawyer, Wallace C.: The Role of NASA in National Defense. Presented at the 1975 National Defense Meeting, January 1975.
20. Sawyer, Wallace C.: NASA Aerodynamic Missile Systems Technology Program. Presented at the AIAA/ADPA Tactical Missile Conference, April 1975.
21. Henderson, William P.; and Huffman, Jarrett K.: Aerodynamic Characteristics of a Tandem Wing Configuration at a Mach Number of 0.30. NASA TM X-72779, 1975.
22. Gloss, Blair B.: Effect of Wing Planform and Canard Location and Geometry on the Longitudinal Aerodynamic Characteristics of a Close-Coupled Canard Wing Model at Subsonic Speeds. NASA TN D-7910, 1975.
23. Grafton, Sue B.; and Anglin, Ernie L.: Free-Flight Model Investigation of a Vertical Attitude VTOL Fighter With Twin Vertical Tails. NASA TN D-8089, 1975.
24. Grafton, Sue B.; and Anglin, Ernie L.: Static and Dynamic Aerodynamic Characteristics of a 0.15-Scale Model of the YF-17 Airplane at Spin Angles of Attack. NASA TM SX-3217, 1975.
25. Grafton, Sue B.; Anglin, Ernie L.; and Newsom, William A., Jr.: Free-Flight Investigation of a 0.15-Scale Model of the YF-17 Airplane at High Angles of Attack. NASA TM SX-3283, 1975.
26. Henderson, William P.: Pressure Distributions on a Cambered Wing-Body Configuration at Subsonic Mach Numbers. NASA TN D-7946, 1975.
27. Huffman, Jarrett K.: Effect of Vertical-Tail Location on the Aerodynamic Characteristics at Subsonic Speeds of a Close-Coupled Canard Configuration. NASA TN D-7947, 1975.

28. Huffman, Jarrett K.; and Jackson, Charlie M., Jr.: Subsonic Investigation of Longitudinal and Lateral Aerodynamic Characteristics of Unpowered Low-Aspect-Ratio Configuration With T-Tail. NASA TM X-3253, 1975.
29. Johnson, William G., Jr.: Aerodynamic Characteristics of a Powered Externally Blown Flap STOL Transport Model With Two Engine Simulator Sizes. NASA TN D-8057, 1975.
30. Naeseth, Roger L.; and Hoad, Danny R.: Upwash Angles Near Engine Inlets of an Externally Blown Flap STOL Transport. NASA TN D-8091, 1975.
31. Newsom, William A., Jr.; and Anglin, Ernie L.: Free-Flight Investigation of a 0.15-Scale Model of the SFV-12A Airplane in Clean Configuration at High Angles of Attack. NASA TM SX-3157, 1975.
32. Newsom, William A., Jr.; and Anglin, Ernie L.: Free-Flight Model Investigation of a Vertical Attitude VTOL Fighter. NASA TN D-8054, 1975.
33. Newsom, William A., Jr.; Anglin, Ernie L.; and Grafton, Sue B.: Free-Flight Investigation of a 0.15-Scale Model of the YF-16 Airplane at High Angles of Attack. NASA TM SX-3279, 1975.
34. Phelps, Arthur E., III: Wind-Tunnel Investigation of a Twin-Engine, Straight Wing, Upper-Surface Blown Jet-Flap Configuration. NASA TN D-7778, 1975.
35. Scher, Stanley H.: Spin-Tunnel Investigation of a 1/25-Scale Model of the Northrop YF-17 Airplane. NASA TM SX-3318, 1975.
36. Shivers, James P.; and Smith, Charles C., Jr.: Static Tests of a Simulated Upper Surface Blown Jet-Flap Configuration Utilizing a Full-Size Turbofan Engine. NASA TN D-7816, 1975.
37. Sleeman, William C., Jr.: Low-Speed Wind-Tunnel Investigation of a Four-Engine Upper Surface Blown Model Having a Swept Wing and Rectangular and D-Shaped Exhaust Nozzles. NASA TN D-8061, 1975.
38. Chambers, Joseph R.; Bowman, James A., Jr.; and Malcolm, Gerald N.: Stall/Spin Test Techniques Used by NASA. Presented at the AGARD Flight Mechanics Panel Specialists Meeting on Stall/Spin Problems of Military Aircraft, Nov. 1975.
39. Chambers, Joseph R.; Gilbert, William P.; and Grafton, Sue B.: Results of Recent NASA Studies on Spin Resistance. Presented at the AGARD Flight Mechanics Panel Specialists Meeting on Stall/Spin Problems of Military Aircraft, Nov. 1975.
40. Chambers, Joseph R.; Newsom, William A.; and Grafton, Sue B.: Free-Flight Model Investigation of Vertical-Attitude VTOL Fighters. Presented at the NAVAIR Workshop on Prediction Methods for Jet V/STOL Propulsion Aeronautics, July 1975.

41. Hoad, Danny R.: Techniques and Problems Associated With Wind-Tunnel Testing Multi-Fan VTOL Aircraft Models. Presented at the NAVAIR Workshop on Prediction Methods for Jet V/STOL Propulsion Aeronautics, July 1975.
42. Hoad, Danny R.: Propulsion Characteristics Affecting the Aerodynamic Performance of an Externally Blown Flap Transport Model. Presented at the AIAA/SAE 11th Propulsion Conference, Sept. 1975.
43. Mineck, Raymond E.: Comparison of Theoretical and Experimental Interference Effects on a Jet VTOL Airplane Model. Presented at the NAVAIR Workshop on Prediction Methods for Jet V/STOL Propulsion, July 1975.
44. Winston, Matthew M.: Propulsion-Induced Aerodynamic Interference Effects on Jet-Lift VTOL Aircraft. Presented at the NAVAIR Workshop on Prediction Methods for Jet V/STOL Propulsion, July 1975.
45. Winston, Matthew M.; Albang, Leroy F.; and Gentry, Garl L., Jr.: A Simplified Approach for Preliminary Estimation of VTOL Induced Effects in Hover. Presented at the NAVAIR Workshop on Prediction Methods for Jet V/STOL Propulsion Aeronautics, July 1975.
46. Winston, Matthew M.; Weston, Robert P.; and Mineck, Raymond E.: Propulsion-Induced Interference Effects on Jet-Lift VTOL Aircraft. Presented at the AIAA/SAE 11th Propulsion Conference, Sept. 1975.
47. Hoad, Danny R.; and Gentry, Garl L., Jr.: Longitudinal Aerodynamics of a Low-Wing Lift-Fan Transport Including Hovering Characteristics In an Out of Ground Effect. NASA TM X-72670, 1975.
48. Miner, Dennis D.; and Campbell, James F.: Experimental Measurements of Skin Friction on an Upper Surface Blown Wing. NASA TM X-72634, 1975.
49. Miner, Dennis D.; and Gloss, Blair B.: Flow Visualization Study of Close-Coupled Canard-Wing and Strake-Wing Configuration. NASA TM-X 72668, 1975.
50. Sleeman, William C., Jr.: Low-Speed Wind-Tunnel Investigation of a Four-Engine Upper-Surface-Blown Model Having a Swept Wing and Rectangular and D-Shaped Exhaust Nozzles. NASA TM X-72011, 1975.
51. The Staff of the Langley Research Center: Wind-Tunnel Investigation of the Aerodynamic Performance Study and Vibratory Loads, Surface Temperatures and Acoustic Characteristics of a Large-Scale Twin-Engine Upper-Surface Blown Jet-Flap Configuration. NASA TM X-72794, 1975.

1. Culpepper, Richard G.; Person, Lee H., Jr.; Silsby, Norman S.; and Deal, Perry L.: The Effects of Thrust Vectoring in Forward Flight (VIFF) on the Maneuverability of the Kestrel V/STOL Fighter Type Aircraft. NASA TM X-2960, 1974.
2. Blair, A. B., Jr.: Aerodynamic Characteristics of a Tandem-Canard Missile at Mach Numbers From 1.83 to 4.63. NASA TM X-3040, 1974.
3. Dollyhigh, Samuel M.; and Hallissy, James B.: Longitudinal Stability and Control Characteristics at Mach 0.30 to 2.86 of a Fighter Configuration With a Cranked-Leading-Edge Wing Planform. NASA TM X-3039, 1974.
4. Gloss, Blair B.: Effect of Canard Height and Size on Canard-Wing Interference and Aerodynamic-Center Shift Related to Maneuvering Aircraft at Transonic Speeds. NASA TN D-7505, 1974.
5. Huffman, Jarrett K.; and Jackson, Charlie M., Jr.: Investigation of the Static Lift Capability of a Low-Aspect-Ratio Wing Operating in a Powered Ground-Effect Mode. NASA TM X-3031, 1974.
6. Jernell, Lloyd S.; Monta, William J.; and Flechner, Stuart G.: Stability and Control Characteristics of a Cruciform Missile Model With Large Delta Wings and Tail Controls at Mach 0.60 to 4.63. NASA TM X-3037, 1974.
7. Reubush, Davis E.; and Mercer, Charles E.: Exhaust-Nozzle Characteristics for a Twin-Jet Variable-Wing-Sweep Fighter Airplane Model at Mach Numbers to 2.2. NASA TM X-2947, 1974.
8. Runckel, Jack F.: Interference Between Exhaust System and Afterbody of Twin-Engine Fuselage Configurations. NASA TM D-7525, 1974.
9. Capone, Francis J.: Supercirculation Effects Induced by Vectoring a Partial-Span Rectangular Jet. Presented at the AIAA 6th Aircraft Design, Flight Test, and Operations Meeting, Aug. 1974.
10. Jernell, Lloyd S.: Stability and Control Characteristics of a Monoplane Missile With Large Delta Wings and Various Tail Controls at Mach 1.90 to 2.96. NASA TM X-71984, 1974.
11. Spearman, M. Leroy; and Sawyer, Wallace C.: External Store Effects on the Stability of Fighter and Interceptor Airplanes. NASA TM X-71935, 1974.
12. Bowman, James S., Jr.; and White, William L.: Spin-Tunnel Investigation of a 1/40-Scale Model of the F-111A Airplane with Store Loadings and With Supplementary Spin-Recovery Devices. NASA TM SX-2970, 1974.
13. Grafton, Sue B.; Chambers, Joseph R.; and Coe, Paul L., Jr.: Wind-Tunnel Free-Flight Investigation of a Model of a Spin-Resistant Fighter Configuration. NASA TN D-7716, 1974.

14. Libbey, Charles E.; and Anglin, Ernie L.: Departure, Spin Entry, and Spin Tests of a F-15 Radio-Control Model. NASA TM SX-3035, 1974.
15. Mineck, Raymond E.; and Margason, Richard J.: Pressure Distribution on a Vectored-Thrust V/STOL Fighter in the Transition-Speed Range. NASA TM X-2867, 1974.
16. Jewel, Joseph W., Jr.; Morris, Garland J.; and Avery, Donald E.: Operating Experiences of Retardant Bombers During Firefighting Operations. NASA TM X-72622, 1974.
17. Dollyhigh, Samuel M.: Subsonic and Supersonic Longitudinal Stability and Control Characteristics of an Aft Tail Fighter Configuration With Cambered and Uncambered Wings and Uncambered Fuselage. NASA TM X-3078, 1974.
18. Graves, Ernauld B.; and Fournier, Roger H.: Stability and Control Characteristics at Mach Numbers From 0.20 to 4.62 of a Cruciform Air-to-Air Missile With Triangular Canard Controls and a Trapezoidal Wing. NASA TM X-3070, 1974.
19. Coe, Paul L., Jr.; and Newsom, William A., Jr.: Wind-Tunnel Investigation to Determine the Low-Speed Yawing Stability Derivatives of a Twin-Jet Fighter Model at High Angles of Attack. NASA TN D-7721, 1974.
20. Gentry, Garl L., Jr.: Wind-Tunnel Investigation of an Externally Blown Flap STOL Transport Model Including an Investigation of Wall Effects. NASA TM X-3009, 1974.
21. Gloss, Blair B.: The Effect of Canard Leading-Edge Sweep and Dihedral Angle on the Longitudinal and Lateral Aerodynamic Characteristics of a Close Coupled Canard-Wing Configuration. NASA TN D-7814, 1974.
22. Grantham, William D.; and Deal, Perry L.: Simulator Study of Minimum Acceptable Level of Longitudinal Stability for a Representative STOL Configuration During Landing Approach. NASA TN D-7733, 1974.
23. Hallissy, James B.; and Harris, Charles D.: Wing-Tunnel Investigation of Aerodynamic Load Distribution on a Variable-Wing-Sweep Fighter Airplane With a NASA Supercritical Airfoil. NASA TM X-3095, 1974.
24. Henderson, William P.: The Effect of Canard and Vertical Tails on the Aerodynamic Characteristics of a Model With a  $59^\circ$  Sweptback Wing at a Mach Number of 0.30. NASA TM X-3088, 1974.
25. Henderson, William P.; and Huffman, Jarrett K.: Lateral-Directional Stability Characteristics of a Wing-Fuselage Configuration at Angles of Attack Up to  $44^\circ$ . NASA TM X-3087, 1974.
26. Hoad, Danny R.: Longitudinal Aerodynamic Characteristics of an Externally Blown Flap Powered-Lift Model With Several Propulsive System Simulators. NASA TM X-7670, 1974.

27. Lee, Henry A.; and White, William L.: Spin-Tunnel Investigation of a 1/32-Scale Model of the Lockheed S-3A Airplane. NASA TM SX-3057, 1974.
28. Lockwood, Vernard E.; and Matarazzo, Aniello: Subsonic Wind-Tunnel Investigation of a Twin-Engine Attack Airplane Model Having Nonmetric Powered Nacelles. NASA TN D-7742, 1974.
29. Mann, Michael L.: Subsonic Annular Wing Theory With Application to Flow About Nacelles. NASA TN D-7630, 1974.
30. Mann, Michael J.: Calculation of the Twist Distribution of Wings Designed for Cruise at Transonic Speeds. NASA TN D-7813, 1974.
31. Scher, Stanley H.; and White, William L.: Spin-Tunnel Investigation of a 1/30-Scale Model of the Fairchild A-10A Airplane. NASA TM SX-3090, 1974.
32. Bihrlle, William, Jr.; and Barnhart, Billy: Effects of Several Factors on Theoretical Predictions of Airplane Spin Characteristics. NASA CR-132521, 1974. (NAS1-12519 Grumman Aerospace Corporation.)



## SECTION C

### LANGLEY RESEARCH CENTER DIFFERENTIAL MANEUVERING SIMULATOR RESULTS

1. Pennington, Jack E.; and Meintel, Alfred J.: ASTAC, Analytical Simulation of Tactical Air Combat. NASA LWP-951, 1971. Confidential.
2. Meintel, A. J.; and Pennington, Jack E.: Differential Maneuvering Simulator. Presented at the Air-to-Air Combat Analysis and Simulation Symposium, AFFDL-TR-72-57, Vol. I, U.S. Air Force, May 1972, pp. 187-210. Secret.
3. Beasley, Gary P.: Preliminary DMS Evaluation of Relative Effectiveness of Limited and All Aspect Missiles in One-on-One Air Combat Maneuvering. NASA LWP-1100, 1973. Confidential.
4. Moore, Frederick L.; Roberts, David A.; and Lina, Lindsay J.: Simulation of Thrust-Vectored Harrier Aircraft in Air Combat: Preliminary Results. NASA LWP-1118, 1973. Secret.
5. Roberts, David A.; Moore, Frederick L.; and Lina, Lindsay J.: A Simulation Study of a Thrust Vectored Harrier Aircraft in Aerial Combat: Analysis of Maneuvers. NASA LWP-1117, 1973. Secret.
6. Hankins, Walter: First DMS Engagements Between Human Pilots and a Computer-Driven Opponent. NASA LWP-1127, 1973.
7. Meintel, Alfred J., Jr.; Pennington, Jack E.; Hankins, Walter W.; and Beasley, Gary P.: Simulation Evaluation of One-on-One Air Combat Engagements Between a Delta-Wing Fighter with Aft Horizontal Tail and a Current Twin Jet Fighter Aircraft. NASA TM X-2803, 1973. Secret.
8. Meintel, Alfred J., Jr.; Pennington, Jack E.; and Hankins, Walter W., III: Differential Maneuvering Simulator Validation. NASA TM X-2827, 1973. Confidential.
9. Pennington, Jack E.: Simulation of a Fixed-Wing Fighter Aircraft Having Leading-Edge Slats. NASA TM X-2768, 1973. Confidential.
10. Pennington, Jack E.; and Kibler, Kemper S.: Simulation of a Delta-Wing Aircraft Having an Aft Horizontal Tail. NASA TM X-2882, 1973. Secret.
11. Beasley, Gary P.; and Sigman, Richard S.: Differential Maneuvering Simulator Data Reduction and Analysis Software. NASA TM X-2705, 1973.
12. Beasley, Gary P.: Evaluation of DMS F-14 Wing Sweep Simulation. NASA LWP-1105, 1973. Confidential.
13. Beasley, Gary P.; and Beissner, Fred L.: Correlation of Aircraft Maneuvering Parameter for One-on-One Air Combat. NASA TM X-3023 and NASA LWP-1150, 1974.

14. Moore, Frederick L.; Roberts, David L.; and Lina, Lindsay J.: Simulation Study of the Effectiveness of Thrust Vectoring Using the Harrier Aircraft in Air Combat. NASA TM X-3118, 1974. Secret.
15. Pennington, Jack E.; and Beissner, F. L.: Simulation Program for Advanced Baseline Configuration Aircraft. NASA TM X-71998, 1974. Confidential.
16. Pennington, Jack E.: Simulation of a Variable-Sweep Fighter Aircraft. NASA TM X-72017, 1974. Confidential.
17. Pennington, Jack E.; and Beissner, F. L.: Simulation of Advanced Baseline Configuration Aircraft. NASA TM X-3201, 1975. Confidential.
18. Pennington, Jack E.; and Meintel, Alfred, J.: Simulation Study of Thrust Vectoring for Air Combat Maneuvering for a Lightweight Fighter Class Aircraft. NASA TM X-3270, 1975.
19. Pennington, Jack E.: Simulation Study of Effects of Induced Lift Due to Thrust Vectoring on Combat Effectiveness of a Fighter Aircraft. NASA TM X-3202, 1975.
20. Fletcher, Herman S.; and Pennington, Jack E.: The Effect of a Positive Pitching Moment Increment of the Simulated Aerial Combat Capability of the F-4 Aircraft. NASA TM X-72688, 1975. Confidential.
21. Burgin, George H.; Fogel, Lawrence J.; and Phelps, J. Price: An Adaptive Maneuvering Logic Computer Program for the Simulation of One-on-One Air-to-Air Combat. Vol. I: General Description. NASA CR-2582, 1975.
22. Burgin, George H.; and Owens, A. J.: An Adaptive Maneuvering Logic Computer Program for the Simulation of One-on-One Air-to-Air Combat. Vol. II: Program Description. NASA CR-2583, 1975.
23. Hankins, Walter W., III: Interactive Computerised Air Combat Opponent. Presented at the AGARD FMP/GCP Joint Symposium on Flight Simulation/Guidance Systems Simulation, The Hague, Netherlands, 1975.
24. Pennington, Jack E.; Meintel, Alfred J., Jr.; and Beissner, Fred L., Jr.: Results of F-4 Parametric Studies Conducted on the Differential Maneuvering Simulator. NASA TM X-72840, 1976.
25. Pennington, Jack E.: Simulation of F-16 Airplane on Langley's Differential Maneuvering Simulator. NASA TM 74096, 1979. Confidential.
26. Meintel, Alfred J., Jr.: Trends in Simulated One-on-One Air Combat. NASA TM 80116, 1979. Secret.
27. Meintel, Alfred J., Jr.; Pennington, Jack E.; and Hankins, Walter W.: Results of Parametric Studies on Advanced Baseline Configuration in Langley Differential Maneuvering Simulator. NASA TM 80126, 1979. Confidential.

28. Hankins, Walter W., III: Computer-Automated Opponent for Manned Air-to-Air Combat Simulations. NASA TP-1518, 1979.
29. Beissner, Fred L., Jr.: Aircraft Maneuvering Parameters for One-on-One Air Combat. NASA Contractor Report. Confidential. (In publication).
30. Pennington, Jack E.; and Meintel, A. J., Jr.: Simulation of Nonaxisymmetric Nozzle for Air Combat Maneuvering. Confidential. (In publication)



1. Report No. NASA TM 80204		2. Government Accession No.		3. Recipient's Catalog No.	
4. Title and Subtitle MILITARY AIRCRAFT AND MISSILE TECHNOLOGY AT THE LANGLEY RESEARCH CENTER - A SELECTED BIBLIOGRAPHY				5. Report Date January 1980	
				6. Performing Organization Code	
7. Author(s) Dal V. Maddalon				8. Performing Organization Report No.	
9. Performing Organization Name and Address NASA Langley Research Center Hampton, VA 23665				10. Work Unit No. 530-03-13-02	
				11. Contract or Grant No.	
12. Sponsoring Agency Name and Address National Aeronautics & Space Administration Washington, DC 20546				13. Type of Report and Period Covered Technical Memorandum July 1979-December 1979	
				14. Army Project No.	
15. Supplementary Notes					
16. Abstract  A compilation of reference material is presented on the Langley Research Center's efforts in developing advanced military aircraft and missile technology over the past twenty years. Reference material includes research made in aerodynamics, performance, stability, control, stall-spin, propulsion integration, flutter, materials, and structures.					
17. Key Words (Suggested by Author(s)) Military aircraft Missiles Bibliography Langley Research Center Advanced aeronautical technology				18. Distribution Statement  Unclassified- Unlimited  Subject Category 01	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified		21. No. of Pages 41	22. Price* \$4.50	





